



POLYCAB INDIA LIMITED

LDC LP No. 06/2021-22 Dtd : 23rd October 2021

List of Products Covered in Our LDC LP

Coaxial Cables

Lan Cables

CCTV Cables

Telephone Switchboard Cables

Submersible Cables

Single Core Flexible Cables

Multicore Flexible Cables

Single Core XLPE Unarmoured/Armoured Cables

Solar Cables

BMS Cables

Braided Cables

Steel Braided Cables

Speaker Cables

Welding Cables

Aluminium Service Wires

Festoon Cables

Uninyvin Cables

**POLYCAB INDIA LIMITED**

LDC LP No. 06/2021-22 Dtd : 23rd October 2021

POLYCAB INDUSTRIAL JELLY FLOODED COAXIAL CABLES

Polycab Gas Injected Physical Polyethylene Foam Insulation with Laminated Aluminium Tape and Aluminium Wire Braid, Jelly Flooded PVC Black Jacketed Industrial Coaxial Cables.

Size	100m Unarmoured	305m Unarmoured	1000m Flexible Armoured
RG - 59	2950	9000	
RG - 6	3270	9975	85000
RG - 11	6355	19385	159000
RG-6 CCS	1860	5675	
RG-11 CCS	3790	11560	

POLYCAB LAN (COMPUTER) CABLES

Item	UOM	Rate in Rs.
CAT 5e UTP FR -PVC	305 MTRS.	13520
CAT 6 UTP PVC-FR (Without Separator)	305 MTRS.	14190
CAT 6 UTP PVC-FR (With Separator)	305 MTRS.	14410
CAT 6 FTP FR PVC (Without Separator)	305 MTRS.	17505
CAT 6 FTP FR PVC (With Separator)	305 MTRS.	17730
CAT 6A UTP PVC-FR	305 MTRS.	17885
CAT 6A FTP PVC-FR	305 MTRS.	21210
CAT6 UTP- Armoured / Flexible Armoured	1000 MTRS.	121000
CAT6 FTP- Armoured / Flexible Armoured	1000 MTRS.	136000
CAT6 A UTP- Armoured / Flexible Armoured	1000 MTRS.	136000
CAT6 A FTP- Armoured / Flexible Armoured	1000 MTRS.	150000

POLYCAB CCTV CABLES

Item	UOM	Rate in Rs.
CCTV 3+1	90 MTRS.	4445
CCTV 4+1	90 MTRS.	4990
CCTV 3+1	180 MTRS.	8890
CCTV 4+1	180 MTRS.	9980
CCTV 4+1 Armoured	1000 MTRS.	165000



POLYCAB INDIA LIMITED

LDC LP No. 06/2021-22 Dtd : 23rd October 2021

POLYCAB INDUSTRIAL TELEPHONE (SWITCHBOARD) CABLES

Polycab High Conductivity Solid Annealed Bare Copper industrial Telephone (Switchboard) Cables with High Density Polyethylene Insulation, Paired, Polyester and Sheathed with High Oxygen Index, Fire Retardant, PVC Compound, Grey Outer Sheath generally conforming ITD Specification

No. of Pairs & Size	Price / 100 Mtr. (Rs.)		Price / 90 Mtr (Rs.)		Master Packing
	0.4 mm	0.5 mm	0.4 mm	0.5 mm	
1 Pair	890	1300	800	1170	20
2 Pair	1440	2230	1295	2005	20
3 Pair	2075	3195	1865	2875	16
4 Pair	2640	4210	2375	3790	12
5 Pair	3410	5010	3070	4510	8
10 Pair	6830	10350	6145	9315	1
20 Pair	13650	20950	12285	18850	1
50 Pair		52400			1
100 Pair		109900			1

POLYCAB INDUSTRIAL 3 CORE FLAT SUBMERSIBLE CABLES

Polycab PVC / Xlpe Insulated and PVC Sheathed Industrial 3 Core Flat Submersible Cable with Bare Bunched Copper Conductor for Submersible Pump Motors with Voltage Grade 1100 Volts as per IS:694/2010

Size in Sq.mm.	PVC Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	Xlpe Insulated Price per 100mtr. (Drum Packing - 500/1000 Mtrs.)	PVC Insulated Price Per 100mtr. (Corrogated Box Packing)
1.5	10600	11200	10400
2.5	17700	18600	17200
4	25300	26500	25000
6	36800	38600	35900
10	62000	65200	
16	96000	100800	
25	154600	162400	
35	215200	226000	



POLYCAB INDIA LIMITED

LDC LP No. 06/2021-22 Dtd : 23rd October 2021

Polycab PVC Insulated, PVC Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/2	5	9500	11100	13700	16000
0.75	24/2	8	13400	15600	19300	22800
1	32/2	13	17100	19800	24300	28700
1.5	30/25	17	23800	27800	33700	40000
2.5	50/25	24	38900	44400	55500	65100
4	56/3	30	61800	71600		

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/2	5	18800	21100	24600	31200
0.75	24/2	8	26600	30000	34800	43700
1	32/2	13	33400	38200	44800	56600
1.5	30/25	17	46600	53200	62800	78900
2.5	50/25	24	76200	87100	103100	129000

Polycab Multi Strand Bare Copper conductor XLPE insulated PVC Sheathed Cables

Nominal Area mm ²	No/Dia of Strands No/mm	Current rating in Air at 40°C	Cu Conductor Unarmoured Cables	Cu Conductor Aluminium Armouring Cables
			Rs/100 Mtr.	Rs/100 Mtr.
6	84/0.3	55	16000	21700
10	80/0.4	75	26900	36700
16	126/0.4	103	39900	46300
25	196/0.4	126	63600	71000
35	276/0.4	152	87000	95700
50	396/0.4	189	121400	133100
70	354/0.5	240	167200	183300
95	484/0.5	297	227100	236300
120	608/0.5	346	286800	298700
150	750/0.5	390	358400	373400
185	925/0.5	460	437600	450700
240	1210/0.5	552	568700	593500
300	1527/0.5	640	708900	746300
400	2036/0.5	753	945700	989500

**POLYCAB INDIA LIMITED****POLYCAB**

LDC LP No. 06/2021-22 Dtd : 23rd October 2021

Polycab PVC Insulated, FRLS Round Sheathed Multi Core Industrial Flexible Cables conforming to IS 694:2010 with Bright Annealed Copper Conductor for Voltage Grade 1100 Volts

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			7 Core	8 Core	10 Core	12 Core
0.5	16/.2	5	10200	11900	14700	17200
0.75	24/.2	8	14400	16800	20700	24500
1	32/.2	13	18400	21300	26100	30900
1.5	30/.25	17	25000	29200	35400	42000
2.5	50/.25	24	40800	46600	58300	68400
4	56/.3	30	64900	75200		

Nominal Area of Conductor (sq mm)	Number/ Nom. Dia of Conductor (No./dia mm)	Current Carrying Capacity (Amps)	Price in Rs./100 Mtrs.			
			14 Core	16 Core	19 Core	24 Core
0.5	16/.2	5	20200	22700	26400	33500
0.75	24/.2	8	28600	32300	37400	47000
1	32/.2	13	35900	41100	48200	60800
1.5	30/.25	17	48900	55900	65900	82800
2.5	50/.25	24	80000	91500	108300	135500



POLYCAP INDIA LIMITED

LDC LP No. 06/2021-22 Dtd : 23rd October 2021

POLYCAP SOLAR CABLES

Flexible Tinned Copper Conductor/ Cross linkable (E Beam) LSZH Insulation/ Cross linkable (E Beam) LSZH Sheathed Solar Cable as per EN 50618		Flexible Tinned Copper Conductor Single Core Multistrand, Cross Linked, Zero Halogen Low Smoke Insulation and Cross Linked Low Smoke Sheathing , Heat Resistant upto 120°C and UV Resistant Solar Cables		Flexible Bare Copper Conductor Multistrand XLPE / PVC Insulated and UV Stabilized PVC Sheathed Single Core Solar Cables	
Size in Sq.mm.	Price in Rs./100 Mtr.	Size in Sq.mm.	Price in Rs./100 Mtr.	Size in Sq.mm.	Price in Rs./100 Mtr.
2.5	5685	2.5	5320	4	8185
4	8690	4	8225	6	11300
6	11800	6	11400	10	22700
10	21300	10	22800	16	36100
16	38600	16	36300		
25	62300				
35	87000				
50	115900				
70	159400				
95	219000				
120	276500				

POLYCAP BUILDING MANAGEMENT SYSTEM CABLE (BMS)

Flexible Bare Copper Conductor, PVC Insulated, Cross Laid Up, Overall Aluminium Mylar Tape Shielded along with ATC Drain Wire PVC Outer Sheath BMS Cables (Price in Rs./100m)

Cores	0.5 sq.mm	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm
2	5810	7195	7910	10200	15800
3	7435	9550	10700	14000	22000
4	9100	11600	13500	17800	29400
5	10700	13900	16300	21700	34900
6	12300	16300	19200	26100	41800
7	13700	18300	21600	29200	47300
8	15800	20600	24400	33200	54000
10	19200	25600	29900	41300	67600
12	22500	29600	35400	48800	79800
14	25600	34700	41100	56400	92500
16	28700	39000	46400	64100	105200
19	33700	45400	54300	75000	124000
24	41800	57100	68100	95100	156300

Packing - 100/300 Mtrs. Coils & 2000 Mtrs. Drums

Note : 4% Extra Charges for Drum Packing



POLYCAB INDIA LIMITED

LDC LP No. 06/2021-22 Dtd : 23rd October 2021

POLYCAB INDUSTRIAL BRAIDED CABLES

Polycab Annealed Bare Cu Flexible Conductor PVC Insulated, Tinned Cu Braided (Screened) PVC Sheathed Flexible Unarmoured Cables 1100 Volts. (Price in Rs./100 Mtr)

Cores	0.5 Sq mm.	0.75 Sq mm.	1.0 Sq mm.	1.5 Sq mm.	2.5 Sq mm.	4 Sq mm.	6 Sq mm.	10 Sq mm.	16 Sq mm.	25 Sq mm.	35 Sq mm.
2	9200	10500	11900	14900	22900	37500	52500	84300	138900		
3	10800	13200	14900	19600	29300	46700	65400	104900	173000	284900	377600
4	12800	16400	19400	24700	38800	57300	81200	150800	220800	362600	479400
5	15900	20900	25500	29900	49400						
6	17100	22400	27100	34000	56000						
7	18700	25800	32300	41600	66300						
8	22000	31000	39900	47300	82600						
10	25600	34500	45600	58400	100500						
12	28500	38800	48300	66500	117100						
14	33700	47800	62000	82500	136600						
16	38400	61600	66300	90700	152900						
19	46100	71900	79200	108800	176300						
24	53200	77500	93200	135400	223800						



POLYCAB INDIA LIMITED

LDC LP No. 06/2021-22 Dtd : 23rd October 2021

POLYCAB MULTICORE STEEL BRAIDED CABLES

Flex Bare Copper Conductor,PVC Insulated, Cores Laid Up Together PVC Inner Sheathed, GI Wire Braided (Flexible Armouring), Overall PVC Sheathed Steel Braided Cables. (Price in Rs./100 Mtr.)

Cores	0.5 Sq.mm.	0.75 sq.mm	1.0 sq.mm	1.5 sq.mm	2.5 sq.mm	4 sq.mm	6 sq mm
2	9600	11600	13200	16400	23800	33600	46700
3	11700	14500	16800	21500	31800	47300	65100
4	14000	17700	20600	27100	40200	59000	84400
5	16400	20900	25000	32700	48900		
6	18700	24400	28800	37900	57700		
7	20400	26900	32000	42500	65000		
8	23300	30400	36200	48700	74600		
10	28100	37300	44700	59600	92200		
12	32100	43000	51700	69500	108100		
14	36700	48800	59000	80200	124400		
16	41000	55200	66900	90500	141500		
19	47100	63800	78100	106100	165400		
24	58800	79900	97800	133100	208000		

Cores	10 Sq.mm.	16 Sq.mm.	25 Sq.mm.	35 Sq.mm.	50 Sq.mm.	70 Sq.mm	95 Sq.mm.
2	76100	113700	172500	235200	334300	458700	613300
3	107300	161300	247800	338800	481900	665600	891000
4	139600	211200	326300	447200	635700	878400	1177200

Note : 3% Extra Charges for Drum Packing

POLYCAB INDUSTRIAL SPEAKER WIRES

Speaker Wires (Oxygen Free) (Price in Rs./90 mtr)

Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.	Size	Price Per 90 Mtr.
23/36	2380	23/38	1860	0.5 Sq.mm	2600	1.5 Sq.mm	6760
40/36	3625	40/38	2805	0.75 Sq.mm	3730	2 Sq.mm	9015
70/36	6270	70/38	4290	1 Sq.mm	4915	2.5 Sq.mm	11060

** Flame Retardant, Heat Resistant up to 90°C & Oil Resistant

POLYCAB INDUSTRIAL WELDING CABLES

Polycab Flexible Copper Conductor 1100 Volts Welding Cable

Nominal Area of Conductor (sq mm)	Current Carrying Capacity	Conductor Constn. Strands/ Dia in mm	HOFR Insulation Price/100m (Rs)
16	120	509/0.2	39900
25	160	796/0.2	59300
35	230	1115/0.2	83300
50	400	703/0.3	119000
70	600	999/0.3	165900
95	700	1346/0.3	224400
120	1100	1699/0.3	277800



POLYCAB INDIA LIMITED

LDC LP No. 06/2021-22 Dtd : 23rd October 2021

POLYCAB ALUMINIUM WIRES & CABLES

**POLYCAB SINGLE CORE PVC INSULATED 1100 VOLTS
SOLID ALUMINIUM CONDUCTOR WIRES AS PER IS
694**

Size in Sq.mm.	Price in Rs./100 Mtr.
1.5	685
2.5	1080
4	1530
6	2105
10	3520
16	5160
25	7980
35	11000
50	12400
70	16200
95	28800

**POLYCAB PVC INSULATED AND SHEATHED TWIN CORE_FLAT & THREE
CORE ROUND CABLES 1100 VOLTS EACH CORE HAVING SINGLE SOLID
ALUMINIUM CONDUCTOR SERVICE CABLES AS PER IS 694**

No. of Cores	Sq.mm.	Price in Rs./100 Mtr.
2 Core	2.5	3750
2 Core	4	5020
2 Core	6	6650
2 Core	10	9690
2 Core	16	14000
3 Core	2.5	5525
3 Core	4	7275
3 Core	6	8500
3 Core	10	15900
3 Core	16	21000
4 Core	2.5	6785
4 Core	4	9500
4 Core	6	13500
4 Core	10	19800
4 Core	16	26300



POLYCAB INDIA LIMITED

LDC LP No. 06/2021-22 Dtd : 23rd October 2021

FESTOON CABLES

(Price in Rs./Mtr.)

Cores	0.5 Sq.mm.	0.75 Sq.mm.	1 Sq.mm.	1.5 Sq.mm.	2.5 Sq.mm.	4 Sq.mm.
3	69	86	106	141	231	353
4	89	115	140	192	303	473
5	125	163	207	267	422	634
6	148	199	246	316	508	765
7	171	226	285	367	592	888
8	198	257	324	421	680	1018
9	229	303	378	483	783	1162
10	253	334	417	535	865	1295
12	297	397	497	635	1032	1546
14	360	467	583	757	1213	1816
16	406	534	673	859	1392	2079
18	448	590	754	964	1543	2311
24	610	802	1020	1167	2080	3127

**POLYCAB INDIA LIMITED**

LDC LP No. 06/2021-22 Dtd : 23rd October 2021

UNINYVIN CABLES**Multistranded Annealed Tinned Copper Conductor 105° C PVC Insulation with Nylon Braiding with Lacquer Coating Uninyvin Cables**

Cable Size	Nom. Conductor Area (Sq.mm.)	Price in Rs./Mtr.
22	0.347	22.80
20	0.556	29.40
18	0.966	43.50
16	1.17	51.70
14	2.05	79.00
12	3.22	116.00
10	5.33	163.00
8	8.76	253.00
6	13.30	375.00
4	21.50	593.00
2	33.30	908.00
1	40.70	1098.00
0	53.00	1427.00
00	68.30	1817.00
000	84.20	2251.00
0000	109	2894.00